

The ^{choice} is
right just
ONE
your leading company



Datasheet 2020


TECHNICAL FLEET

www.one-tv.it

ONE TV is a Professional Show Group Company



unitONE



XXL SIZE - up to 30 cameras

4 EXTENSIONS - 72 mq

32 OPERATING POSITIONS



POWER (full redundancy powering unbreakable system)

- 1x 125A or 2 x 63 TRIPHASE i/p (w/t motorized changeover)
- 2 x 50 KVA ISOTRAFO - 2 x 25KVA UPS (>30mins autonomy)

TECH MANAGEMENT:

- VSM fully redundanted integrated managing controller

CAMERAS*:

- up to 30 CAMERAS - HD - UHD HDR - SUPERSLOMO 3x - 6x - 8x (Sony HCD-4300 - GV LKD8000/8300 - IKEGAMI HDK-79EXIII)

SWITCHER & ROUTERS:

- HD VIDEO PROD SWITCHER GV K-FRAME 9 m/e - 192i/p - 96 o/p
- 2 CONSOLES: Kayenne 4 m/e - Karrera 3 m/e
- HD ROUTER EVERTZ EQX 576/576 + 288 MVW dedicated o/p
- MADI ROUTER EVERTZ 3036/3036

SOUND & COMMUNICATIONS:

- AUDIO PROD MIXER DSP: STAGETEC NEXUS STAR
- 2 CONSOLES: CRESCENDO PLATINUM 48fdr + 24fdr
- AUDIO i/o: DOTEK - 128 AES3 i/o - 288 ANALOG LINE i/o - 96 MIC - 16 MADI
- INTERCOM ROUTER: RTS ADAM w/t OMNEO - DANTE - ROMEO
- 54 DIGITAL PANELS (dual path OMNEO)
- DOLBY DE/ENCODERS * DP563 - DP571 - DP572 - DP569 - DP570

MONITORING & DIGITAL GLUE:

- 316 PIP on 36 o/p from 9 EVERTZ 3067VIP-3G-36x4
- 9 55" LCD 4K - 7 49" LCD 4K - 11 32" 4K - 4 24" LCD G1 - 1 32" LCD G1 HDR
- 3 TEKTRONIX WFM 8300 w/t 4K/HDR plug-in + 2 TEKTRONIX WFM 8200
- 2 MASTER SYNC GEN w/t PTP: EVERTZ 5600 - 4K TSG - GPS
- AUDIO/VIDEO DISTRIBUTION: EVERTZ 7800 series (fully redundanted)
- 72 EVERTZ DFS/D-MUX + 72 LINE SYC/MUX
- 16 X-CONV HD <=> UHD EVERTZ 7814UDX-4K-12G w/t V-PROC-HDR
- 4 SONY HDRC 4300 AIR MATCHING X-CONVERTERS (S-LOG3/HLG/PQ)

REPLAY SYSTEMS & RECORDING:

- Systems available: EVERTZ DREAM CATCHER - EVS XT3/VIA - GV DYN0/SUMMIT

LENSES* & TRIPODS* (large choice available on request)

- FUJINON 24 UHD 72x - 6 UHD22x8 - 6 UHD14x4.5
- CANON 3 HD 100x - 2 HD 86x - 4 HD 72x - 12 HD Standard - 6 HD Wide

PHISICALS (operating):

- OB TRUCK 16,0L x 6,5D x 4,0H mt
- Powering 400V RSTNG: 1 x 125A or 3 x 63A (PSU A/B + SERVICES)
- TENDER TRUCK 14,0L x 3,0D x 4,0H mt - Powering 240V LNG - 16A

4K
ULTRA HD

HD

HDR




unitTEN

NEW
2020 July

XL SIZE - up to 18 cameras

5 OPERATING AREAS

21 OPERATING POSITIONS



POWER (full redundance powering unbreakable system)

- 2 x 125A TRIPHASE i/p (w/t motorized changeover)
- 4 x 18KVA ISOTRAFO - 4 x 12KVA UPS (> 30 mins autonomy)

TECH MANAGEMENT:

- EVERTZ MAGNUM fully redunded integrated managing controller

CAMERAS:

- up to 30 CAMERAS - HD - UHD HDR - SUPERSLOMO 3x - 6x - 8x (Sony HCD-4300 - GV LKD8000/8300 - Ikegami HDK-79EXIII)

SWITCHER & ROUTERS:

- HD VIDEO PROD SWITCHER GV K-FRAME
4 m/e - 128 i/p - 64 o/p 24 keyers/dve
- CONSOLES Karrera 3 m/e - 35PB
- HD ROUTER EVERTZ EQX 192x196 + 128 MVW dedicatet o/p
- MADI/AES EVERTZ 3036/3036

SOUND & COMMUNICATIONS:

- AUDIO PROD MIXER DSP: STAGETEC NEXUS STAR
- CONSOLE CRESCENDO PLATINUM 48fdr
- AUDIO i/o: 16x16 MADI (1024) w/t 4 BD STAGETEC + DOTEK - 30 MUX/DMUX
- INTERCOM ROUTER: RTS ADAM w/t OMNEO - DANTE - ROMEO
- 40 DIGITAL PANELS (dual path OMNEO)
- DOLBY DE/ENCODERS * DP563 - DP571 - DP572 - DP569 - DP570
- 2 MOTOROLA BASESTATION + 12 MOTOROLA WT - GP380
- RTS LICENSE FREE WIRELESS INCOM with 24 BELTPAKS

MONITORING & DIGITAL GLUE:

- MULTIVIEWER 192 PIP on 16 o/p from 3067VIP-3G
- 2 LCD 4K-HDR 55" - 6 4K-HDR 47" - 2 LCD 4K-HDR 43" - 6 4K-HDR 32" - 5 LCD G1 4K-HDR 17"
- 2 MASTER SYNC GEN w/t PTP: EVERTZ 5600 - 4K TSG - GPS
- AUDIO/VIDEO DISTRIBUTION: EVERTZ 7800 series (fully redunded)
- 28 DFS (4 frame rate conversion)
- 8X-CONV HD <=> UHD EVERTZ 7814UDX-4K-12G w/t V-PROC-HDR
- 2 SONY HDRC 4300 AIR MATCHING X-CONVERTERS (S-LOG3/HLG/PQ)

RECORDINGS* & REPLAY SYSTEMS*:



- up to 4 VCR SD/HD SONY HDWM-2000P - PDW-HD1500 - MSWM-2000P
- up to 4 HDR AJA KI-PRO PLUS (1x4K or 4xHD)
- up to 4 EVS LSM XT2 - XT3 - XTIVA - GIGA/SDTI all network operating
- 1 x IP DIRECTOR - 2 x XFILES - XFLY - EXPANSION NAS up to 64TB on demand

LENSES* & TRIPODS* (large choice available on request)

- FUJINON 24 UHD 72x - 6 UHD22x8 - 6 UHD14x4.5
- CANON 3 HD 100x - 2 HD 86x - 4 HD 72x - 12 HD Standard - 6 HD Wide

PHISICALS (operating):

- OB TRAILER 17 x 6 x 4 mt - Powering 2 x 400V RSTNG - 125A
- TENDER TRUCK 16 x 5 x 4 mt - Powering 240V LNG - 16A



unit 11



It's a transportable unit compliant with the regulations of international air freights, which includes a series of services for the broadcasting production.

The shelter size (POD) is equivalent of two Grand Containers (GC) with the possibility of expansion.

For the weight containment it was built entirely in aluminum and alloys. It can also be transported on standard trucks, loaded and unloaded with forklifts. It's capable to perform complex MCR functionality with four production galleries with all needed facilities.



TECH MANAGEMENT:

- VSM fully redounded integrated managing controller

SWITCHER & ROUTERS:

- HD VIDEO PROD SWITCHER GV X-FRAME 9 m/e – 192 i/p – 96 o/p
- 4 CONSOLES: GRASS VALLEY KORONA 3/2 m/e
- HD ROUTER EVERTZ EQX 576/576 + 288 MVW dedicated o/p
- 108 DFS/D-MUX – 108 MUX – 32 LINE SYNC
- MADI ROUTER EVERTZ 3036/3036 (TDM <> EQX)

SOUND & COMMUNICATIONS:

- 4 AUDIO PROD ROUTER/MIX DSP: LAWO NOVA 73HD
- 4 CONSOLES: LAWO MC² 56-MKIII-32/48 faders
- AUDIO i/o: 128 AES3 i/o – 288 ANALOG LINE i/o – 96 MIC – 16 MADI
- INTERCOM ROUTER: CLEARCOM – ECLIPSE – HX – OMEGA w/h 58 DIGITAL PANELS

MONITORING & DIGITAL GLUE:

- 316 PIP on 36 o/p from 9 EVERTZ 3067VIP-3G-36x4
- 12x 55" LCD 4K-HDR – 20x 32" LCD 4K – 8x 24" LCD – 3x17" LCD G1 HDR
- 1 TEKTRONIK WFM 8300 w/t 4K/HDR plug-in – 3 LEADER – LV5600
- 2 MASTER SYNC GEN w/t PTP: EVERTZ 5600 – 4K TSG – GPS
- AUDIO/VIDEO DISTRIBUTION: EVERTZ 7800 series (fully redounded)
- 4 SONY HDRC 4300 AIR MATCHING X-CONVERTERS (S-LOG3/HLG/PQ)
- 5 TSL PAM2-IP – 2 MPA1-MIX-DANTE/AES67 – 8 TSL MPA1-MIX-SDI

REPLAY SYSTEMS & RECORDING*:

- Systems available: EVERTZ DREAM CATCHER – EVS XT3/VIA – GV DYNO/SUMMIT

GFX*: 2 VIZRT/PILOT

- 1 AKY PAINT SYSTEM


PHISICALS:

- SHIPPING (OPERATING): 2,4 (4,4)L x 3,1D x 2,5H mt
- SHIPPING: WEIGHT 2.850 Kg
- POWERING 400V 63A TRIPHASE RSTNG


4K
ULTRA HD

HD


HDR



GALLERIES CONFIGURATION ON-DEMAND SAMPLE



unit 15



L SIZE - up to 16 cameras

5 OPERATING AREAS

16 OPERATING POSITIONS



CAMERAS*:

- 20 CAMERAS GVG 8000 (8 sportcam version)
- 02 SUPERSLOMO CAMERAS GVG LDK 8300 (2 sportcam version)
- 01 WIRELESS CAMERA GV LDK 8000 WCS (dual AMU)

SWITCHER & ROUTERS:

- HD VIDEO PROD SWITCHER GV K-FRAME 4 m/e - 128i/p - 64 o/p - 24 keys/dve CONSOLES: Karrera 3 m/e - 2 m/e
- HD ROUTER EVERTZ EQX 288x576 MVW
- MADI AES PROBEL PIXIS

SOUND & COMMUNICATIONS:

- YAMAHA PM1D DUAL DSP fully redounded
96FADERS - 128i/oANALOG - 64 i/o AES - 96 direct o/p - 48 MIXBUS
AUXILIARY CONSOLE: YAMAHA DM1000 - 24 FADERS - 24 i/o ANALOG 24 i/o AES
- INTERCOM ROUTER: DRAKE MATRIX 4000 - 96 - 24 4W - 8 2W interfaces
- 26 DIGITAL PANELS - 16 BELTAPACK BP325 - 8 WIRELESS TR825
- 2 MOTOROLA BASESTATION + 12 MOTOROLA WT - GP380
- DUAL DOLBY DE/ENCODERS * DP563 - DP571 - DP572 - DP569 - DP570 - LM100

MONITORING & DIGITAL GLUE:

- MULTIVIEWER EVERTZ VIP DUO 288 i/p - 126 o/p
- 7 LCD 47" JVC - 36 CRT 10" SONY LDM9050 - 6 CRT SONY BVM D14HSE (G1)
- 2 MASTER SYNC GEN EVERTZ 5601 GEN + ACO EVERTZ ACO2
- AUDIO/VIDEO DISTRIBUTION EVERTZ and GVG GEKO (fully redounded)
- 4 FRAME SYNCHRONYSER LEITCH DP575 - 4 EVERTZ 7746 HD3G
- 6 HD MUX EVERTZ 7721E4 - 6HD DEMUX EVERTZ 7721D4
- 8 DOWN CONVERTER EVERTZ 7713HD - 8 UP CONVERTERS EVERTZ 7710UC-HD

RECORDINGS* & REPLAY SYSTEMS*:

- up to 8 VCR SD/HD SONY HDWM-2000P - PDW-HD1500 - MSWM-2000P
- 5 EVS LSM XT2 PLUS/XT3 GIGA/SDTI network operating
- IP DIRECTOR - XFILES - XFLY - EXPANSION NAS on demand

LENSES & TRIPODS:

A large choice is available on request according to production needs.

PHISICALS (operating):

- OB TRAILER 17x6x4 mt -Powering 400V RSTNG-125A
- TENDER TRUCK 16 x 5 x 4 mt - Powering 240V LNG - 16A


* to be configured according to the production's needs



unitFC1

TRASPORTABLE VIA AIRFREIGHT

UP TO 18 CAMERAS



CAMERAS:

- up to 16* CAMERAS - HD - UHD HDR - SUPERSLOMO 3x - 6x (Sony HCD-4300 - GV LKD800 - IKEGAMI HDK-79EXIII)
- 02 WIRELESS CAMERA GVG or GIGABIT for LDK8000

SWITCHER & ROUTERS:

- HD VIDEO PROD SWITCHER GVG KARRERA 4 m/e - 128i/p - 64 o/p - 18 DVE 2D - 3 DVE 3D - 16 KEYS - 4 PGM LAYER - 16 CLIP PLAYER
- HD ROUTER EVERTZ XENON 128 x 392 w/t integrated 128 Multiviewer

SOUND & COMMUNICATIONS:

- AUDIO PRODUCTION MIXER: STAGETEC CRESCENDO 48 FADERS with NEXUS STAR ROUTER/DSP 96 analog i/p - 96 analog o/p - 48 AES i/p - 48 AES o/p - 12 MUX/DMUX. All the facilities are installed on 6 BASE DEVICES DUAL DOLBY D/E plug in for encoding e decoding
- INTERCOM ROUTER: RTS ADAM2 64x64 - DUAL MADI i/o - RVON 40 x 4W
- 20 DIGITAL PANELS - 4 BELTAPACK BP325 - 4 WIRELESS TR825
- 4 TELCO HYBRIDS PHOENIX-STUDIO

MONITORING & DIGITAL GLUE:

- MULTIVIEWER EVERTZ VIP DUO 128 i/p - 10 o/p
- 4 LCD 50" - 4 LCD 40" - 6 LCD 32" - 2 LCD JVC DTV17G15E (G2)
- 2 MASTER SPG/TSG/GPS EVERTZ 5601 + ACO2
- AUDIO/VIDEO DISTRIBUTION EVERTZ 7700/7800 Series (fully redounded)
- 8 DFS EVERTZ 7800 - 2 DOWN CONVERTER - 2 UP CONVERTERS
- TALLY MANAGER INEGRATED - TSL TALLYMAN2
- LARGE FIBER INTERFACE FOR LONG DISTANCE i/o (EVERTZ)

RECORDING* & REPLAY SYSTEMS*:

- up to 6 VCR SD/HD SONY HDWM-2000P - PDW-HD1500 - MSWM-2000P
- 2 GVG DYNO/SUMMIT w/h EXPANSION NAS 18Tb r
- 3 EVS LSM XT2 PLUS GIGA/SDTI network operating
- IP DIRECTOR - XFILES - XFLY - EXPANSION NAS on demand

LENSES* & TRIPODS*:

- A large choice is available on request according to production needs.

PHISICALS FOR TRANSPORTATION:

- 2 AERONAUTIC GRAND CONTAINERS + 2/4 AAP CONTAINERS
- Weight, dimensions and quantity must be defined from our tecnical department, as the location for the equipments installation.
Powering required 400V - RSTNG 63A

* to be configured according to the production's needs

4K
ULTRA HD

HD

HDR



unitFC2

TRASPORTABLE VIA AIRFREIGHT

UP TO 30 CAMERAS



CAMERAS*:

- up to 30 CAMERAS - HD - UHD HDR - SUPERSLOMO 3x - 6x - 8x (Sony HDC-4300 - GV LKD800 - IKEGAMI HDK-79EXIII)
- 02 WIRELESS CAMERA GVG or GIGABIT for LDK8000

4K
ULTRA HD

HD

HDR

SWITCHER & ROUTERS:

- HD VIDEO PROD SWITCHER GVG KARRERA 4 m/e - 128i/p - 64 o/p - 18 DVE 2D - 3 DVE 3D - 16 KEYS - 4 PGM LAYER - 16 CLIP PLAYER
- HD ROUTER EVERTZ XENON 128 x 392 w/t integrated 128 Multiviewer

SOUND & COMMUNICATIONS:

- AUDIO PRODUCTION MIXER: STAGETEC CRESCENDO 48 FADERS with NEXUS STAR ROUTER/DSP 96 analog i/p - 96 analog o/p - 48 AES i/p - 48 AES o/p - 12 MUX/DMUX. All the facilities are installed on 6 BASE DEVICES DUAL DOLBY D/E plug in for encoding e decoding
- INTERCOM ROUTER: RTS ADAM2 64x64 - DUAL MADI i/o - RVON 40 x 4W
- 32 DIGITAL PANELS - 4 BELTAPACK BP325 - 4 WIRELESS TR825
- 4 TELCO HYBRIDS PHOENIX-STUDIO

MONITORING & DIGITAL GLUE:

- MULTIVIEWER EVERTZ MVP300 and VIP DUO 128 i/p - 12 o/p
- 6 LCD 65" - 4 LCD 55" - 8 LCD 32" - 3 LCD JVC DTV17G15E (G2)
- 2 MASTER SPG/TSG/GPS EVERTZ 5601 + ACO2
- AUDIO/VIDEO DISTRIBUTION EVERTZ 7700/7800 Series (fully redounded)
- 8 DFS EVERTZ 7800 - 2 DOWN CONVERTER - 2 UP CONVERTERS
- TALLY MANAGER INEGRATED - TSL TALLYMAN2
- LARGE FIBER INTERFACE FOR LONG DISTANCE i/o (EVERTZ)

RECORDING* & REPLAY SYSTEMS*:

- up to 6 AJA Ki-Pro Plus 4K
- 4 EVS LSM XTV/A 10Gb/SDTI network operating
- IP DIRECTOR - XFILES - XFLY - EXPANSION NAS on demand

LENSES* & TRIPODS*:

- A large choice is available on request according to production needs.

PHISICALS FOR TRANSPORTATION:

- 2 AERONAUTIC GRAND CONTAINERS + 2/4 AAP CONTAINERS
- Weight, dimensions and quantity must be defined from our technical department, as the location for the equipments installation.
Powering required 400V - RSTNG 63A



* to be configured according to the production's needs



HEADQUARTERS

VIA PRAIMBOLE 15/BIS
35010 LIMENA (PD)
PH +39 049 8657280
FAX +39 049 8657290

MILAN BRANCH

VIA SANTA MARIA 83/85
20093 COLOGNO MONZESE (MI)
PH +39 02 25397214
FAX +39 02 27304857

ROME BRANCH

VIA MONTE PERTICA, 33
00195 ROMA
PH. +39 06 37513188
FAX +39 06 3722144